

PLATE I BOOK EXPLANATIONS 857/559

Kompleksnaya mekhanizatsiya i avtomatizatsiya proizvodstva; iz sfera razvoly
Pensenskogo avtomatizatsiya (Overall Industrial Mechanization and Automation)
From Experience of Factories Under the Penna Council of the National Economy
[Penna] Pensenskogo avtomatizatsiya izd-vo, 1959. 290 p. First ed. inserted.
2,000 copies printed.

Ed.: V. Yezhov; Tech. Ed.: Ye. Yezhov.

PURPOSE: This collection of articles is intended for the general reader inter-
ested in the mechanization and automation of machine-tool production

COVERAGE: The efforts of industrial workers of the Penna district to fulfill
ahead of time the objectives set forth in the Seven Year Plan are discussed
in these 11 articles. The need for complete mechanization in the production of
machine tools and instruments is strongly emphasized. No specialities are
mentioned. There are no references.

TABLE OF CONTENTS:

NUMERICAL PROCESS EQUIPMENT

Yezhov, V.S. [Engineer]. Numerical Control of Metal-Cutting Machine Tools	90
Morozov, A.I. [Candidate of Technical Sciences]. Pneumohydraulics and the Automation of Machine Tools in Small-Shop Production	110
Yezhov, P.I. [Engineer] Pen-Converters - an Important Link in the Com- plete Mechanization and Automation in Machine Manufacturing	124
Yezhov, V.S., [Engineer], V.M. Goryshin [Engineer], and E.I. Priboin [Engineer]. Mechanization of Work in the Cleaning Departments of Penny Sections FOR OVERALL DEVELOPMENT IN PRODUCTION TECHNOLOGY	132
Gorban, I.A. [Candidate of Technical Sciences], and K.A. Kuznetsov [Engineer]. Method of Production of Precision-Machined Parts for Operation Should be Used at Local Plants	169
Yezhov, V.S., and V.P. Zhukin On the Road of Technical Progress	200
Yezhov, A.G. [Candidate of Chemical Sciences]. Raise the Level of Electrochemical Processes, Reduce Metal Waste	217
Polyakov, A.A. [Economic] Groups and Individual Shop Workers of Communist Labor Should Get Constant Professional Technical Assistance	221
AVAILABLE: Library of Congress	

Card 3/3

11/10/59
6-11-59

(11)

ISHKOVA, A.G., (Moskva); TULAYKOV, A.N., (Moskva)

Problems on the bending of plates supported by an elastic
semispace. Inzh. sbor. 23:47-62 '56. (MLRA 9:10)

(Flexure) (Soil mechanics)

~~TULAYEV, A.~~, kand.tekhn.nauk; YAMPOL'SKAYA, T., kand.tekhn.nauk.

Make wider use of local materials in road construction. Zhil.-kom.
khoz. 8 no.2:14-15 '58. (MIRA 11:2)
(Road materials)

TULAYEV, I.I.; MASHANOV, A.Zh.

Bed position meter. Sbor. nauch. trud. Kaz GMI no.19:217 '60.
(MIRA 15:3)

1. Chlen-korrespondent AN Kazakhskoy SSR (for Mashanov).
(Mining geology) (Measuring instruments)

TULAYEVA, M.I.

Study of the viability of grape pollen. Izv. AN Arm. SSR.
Biol. nauki 16 no.4:45-55'63. (MIRA 16:6)

1. Ukrainskiy nauchno-issledovatel'skiy institut vinogradarstva
i vinodeliya imeni Tairova, Odessa.
(GRAPES) (POLLEN)

LIDSKIY, Viktor Borisovich; OVSYANNIKOV, Lev Vasil'yevich; TULAYKOV, Anatoliy Nikolayevich; SHABUNIN, Mikhail Ivanovich. Prinimali uchastiye: ABHAMOV, A.A.; BOCHKE, I.A.; YEVGRAFOV, M.A.; ZYKOV, A.A.; KARABEGOV, V.I.; KARIMOVA, Kh.Kh.; KUDRYAVTSEV, L.D.; KUTASOV, A.D.; SHURA-BURA, M.R.; SHCHEGLOV, M.P. SOLODKOV, V.A., red.; KRYUCHKOVA, V.N., tekhn.red.

[Problems in elementary mathematics] Zadachi po elementarnoi matematike. Moskva, Gos.izd-vo fiziko-matem.lit-ry, 1960. 463 p. (MIRA 14:1)

(Mathematics--Problems, exercises, etc.)

LIDSKIY, Viktor Borisovich; OVSYANNIKOV, Lev Vasil'yevich; TULAYKOV,
Anatoliy Nikolayevich; SHABUNIN, Mikhail Ivanovich; BAYEVA,
A.P., red.; KRYUCHKOVA, V.N., tekhn. red.

[Problems in elementary mathematics] Zadachi po elementarnoi
matematike. Izd.3., ispr. i dop. Moskva, Fizmatgiz, 1963.
415 p. (MIRA 17:2)

LIDSKIY, Viktor Borisovich; OVSIANNIKOV, Lev Vasil'yevich; TULAYKOV,
Anatoliy Nikolayevich; SHABUNIN, Mikhail Ivanovich; SOLODKOV,
V.A., red.; KRYUCHKOVA, V.N., tekhn. red.

[Problems in elementary mathematics] Zadachi po elementarnoi
matematike. Izd.2., stereotipnoe. Moskva, Gos. izd-vo
fiziko-matem. lit-ry, 1962. 463 p. (MIRA 15:3)
(Mathematics--Problems, exercises, etc.)

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2"

TULAYKOV, A. N., and ISHKOVA, A. G.

"Some Problems on the Flexure of Plates Lying on an Elastic Semispace," by A. G. Ishkova and A. N. Tulaykov, Moscow, Inzhenernyy Sbornik, Vol 23, 1956, pp 47-62, submitted for publication 12 Jun 54

This work studies problems of the flexure of an infinite strip under the conditions of a plane problem and a circular plate with different loadings, lying on ground assumed to be an elastic, isotropic, homogeneous semispace. Nonsymmetric and concentrated loads are not considered. The problem in question was boiled down to the determination of the reaction of the ground to the plate with the plate being in equilibrium under the action of external loads and reactive pressures and with the plate being in solid contact with the ground at every point.

Sum 1239

TULAYKOV, A. N.

Zur Kompaktheit in Raum l_p für $p=1$, Nachr. Gott. (1933), 187-170.

SO: Mathematics in the USSR, 1917-1947
edited by Jurosh, A. G.,
Markushevich, A. I.,
Rashevskiy, P. K.
Moscow-Leningard, 1948

TULAYKOV, Nikolay Maksimovich, akademik (1875-1937); SHUL'TS, D.O.,
red.; SAYTANIDI, L.D., tekhn. red.

[For row crop cultivation and against grassland farming] Za
propashnye kul'tury protiv travopol'ia; izbrannye stat'i.
Moskva, Izd-vo MSKh RSFSR, 1962. 159 p. (MIRA 15:9)
(Tillage)

VOLOVCHENKO, I.; METELEV, V.; BANNIKOV, N.; LAPIDUS, M.; MOROZOV, P.;
KUBTSOV, M.; BATSANOV, N.; PRYANISHNIKOV, D.N., akademik;
TULAYKOV, N.M., akademik; BEREZIN, I.A., red.; AVDEYEVA,
V.A., tekhn. red.

[Strong crops] Moguchie kul'tury. Moskva, Sovetskaya Rossiya,
1962. 222 p. (Truzhenikam sela - ob intensivnoi sisteme
zemledeliya, no.2) (MIRA 16:9)
(Field crops)

~~TULAIKOV, Nikolay Maksimovich~~ (1875-1938); BLOKHINA, V.V., red.;
TVERDOVSKIY, V.P., red.; SOKOLOVA, N.N., tekhn. red.

[Selected works; criticism of grassland farming] Izbrannye
proizvedeniia; kritika travopol'noi sistemy zemledeliia.
Moskva, Sel'khozizdat, 1963. .311 p. (MIRA 16:8)
(Tulaikov, Nikolai Maksimovich, 1875-1938)
(Rotation of crops) (Soil science)

TULAYKOV, V. N.

BLUMENTAL', R.M.; GIRICH, A.I.; GONCHARIK, A.K.; GUSEVA, T.P.; ZHITKOVA,
L.A.; IOFFE, A.M.; KULEMIN, P.D.; LEVINA, L.I.; OSHKIN, P.A.;
PAPROTSKIY, T.V.; RYAKHINOV, A.N.; SAMSONOV, N.A.; TULAYKOV, V.N.;
USTINOV, I.M.; FAYN, B.P.; SHIFRIN, D.L.; KOLOTILOV, Vasilii
Ivanovich, red.; SVYATITSKAYA, K.P., vedushchiy red.; THOFIMOV,
A.V., tekhn.red.

[Equipment for the petroleum industry] Neftianoe oborudovanie.
Vol. 5 [Petroleum valves and fittings] Neftianaya armatura. Moskva,
Gos. nauchno-tekhn. izd-vo neft. i gorno-toplivnoi lit-ry. 1958.
247 p. (MIRA 12:1)

(Petroleum industry--Equipment and supplies)

ACC NR: AP6036989 (A,N) SOURCE CODE: UR/0181/66/008/011/3377/3379

AUTHOR: Tulaykova, A. A.; Monosov, Ya. A.

ORG: Institute of Radio Engineering and Electronics, AN SSSR, Moscow (Institut radio-tekhniki i elektroniki AN SSSR)

TITLE: Hysteresis of oscillations that accompany nonlinear ferromagnetic resonance

SOURCE: Fizika tverdogo tela, v. 8, no. 11, 1966, 3377-3379

TOPIC TAGS: magnetic hysteresis, ferromagnetic resonance, parametric resonance, yttrium iron garnet, nonlinear effect, magnetization, microwave oscillation

ABSTRACT: The authors discuss the hysteresis of the high frequency oscillations (~1 MHz) that accompany nonlinear processes in single-crystal yttrium garnet at a frequency equal to half the pump frequency. The hysteresis of these oscillations which are observed at pump powers greatly exceeding threshold was investigated under continuous pump operation at a frequency of 9350 MHz. The sample was placed in a homogeneous magnetic microwave field transverse to the magnetizing field. The tested yttrium garnet single crystal was irregular in shape, close to that of a plate measuring 2.8 x 1.7 x 0.7 mm. The high frequency oscillations were revealed by the reflected microwave power. The amplitude of the high frequency oscillations, plotted against the magnetizing field, exhibits a hysteresis on the low-frequency side, and a region of width of approximately 150 Oe. The hysteresis region goes through a maximum with increasing pump power, and then vanishes. Hysteresis is revealed also

Card 1/2

ACC NR: AP6036989

in the plot of the threshold pump level against the magnetizing field. No explanation can be offered as yet for this hysteresis, which is shown to be insensitive to changes in the plate dimensions. This hysteresis is different from the hysteresis of the nonlinear spin-wave resonance, whose width in yttrium garnets amounts to several tenths of an oersted, whereas the width of the hysteresis described here reaches 200 Oe. The authors thank G. F. Filat'yev for help with the experiment. Orig. art. has: 2 figures.

SUB CODE: 20/ SUBM DATE: 06May66

Card 2/2

L 21568-66 EMT(1)/EMT(n)/I/EMP(t) ~~SECRET~~ JD
ACC NR: AP6008750 SOURCE CODE: UR/0386/66/003/006/0250/0252

AUTHOR: Monosov, YA. A.; Surin, V. V.; Tulaykova, A. A.

ORG: Institute of Radio Engineering and Electronics, Academy of Sciences, SSSR (Institute radiotekhniki i elektroniki Akademii nauk SSSR)

TITLE: Investigation of high-frequency oscillations in single-crystal magnesium manganese ferrite
21, ~~11~~ 27

SOURCE: Zhurnal eksperimental'noy i teoreticheskoy fiziki. Pis'ma v redaktsiyu. Prilozheniye, v. 3, no. 6, 1966, 250-252

TOPIC TAGS: ferrite, magnesium compound, nonlinear effect, single crystal, ferromagnetic resonance, spin wave spectrum

ABSTRACT: To show that the oscillations accompanying nonlinear ferromagnetic-resonance processes in yttrium iron garnets (YIG), previously reported by one of the authors (Monosov, with A. V. Vashkovskiy, IEE Conf. Publ. no. 13, 63, 1965), should be observed in all ferrites, the authors have experimentally investigated the high-frequency oscillations in single-crystal MgMn ferrite at 9300 Mc, with the microwave field transversely polarized and the constant magnetic field ranging from 700 to 3000 oe. The sample was placed in a resonator, and was close in shape to a plate 0.5 mm thick. The high-frequency oscillations were detected with a spectrum analyzer using the reflected microwave power. The tests show that: (1) The oscillations have a threshold, at which the pump power is double that of YIG. The dependence of the amplitude on the

Card 1/2

L 21568-66

ACC NR: AP6008750

constant magnetic field is reminiscent of the dependence of the additional-absorption curve. The observation of the oscillations can be used to determine certain characteristics of the nonlinear resonance, such as the width of the spin-wave resonance curve. (2) The amplitude of the oscillations saturates with increasing pump power, and its value is 20--30 dB lower than in YIG. (3) The oscillation spectrum extends over a certain frequency region. As the pump threshold increases the frequency region shifts from 0.5--0.9 to 1.8--2.2 Mc. The threshold pump power increases with increasing sample dimensions, owing to the deterioration of the thermal conditions in the sample. The pump threshold for different samples may therefore differ from those obtained by a factor 1.5--2. It is also observed that the intensity of the hf oscillations depends markedly on the sample orientation. Orig. art. has: 3 figures.

SUB CODE: 20/ SUBM DATE: 03Feb66/ ORIG REF: 001/ OTH REF: 002

Card

2/2

TULAIKOVA, K.P.

The separation of calcium carbonate crystals by bacteria of the rhizosphere. Agrobiologiya '52, No.4, 43-51. (MLRA 5:8)
(CA 47 no.13:6589 '53)

TULAYKOVA, K.P.

Root microflora of hemp. Zhur. ob. biol. 15 no.4:288-302 J1-Ag '54.
(MYCORRIZA) (HEMP) (MLRA 7:9)

TULAYKOVA, K. P.

TULAYKOVA, K. P. -- "Directed Regulation of the Composition of the Microflora of Hemp Roots in Order to Improve Root Nutrition and Increase the Harvest of This Crop." Min Higher Education USSR. Leningrad Agricultural Inst. Leningrad, 1955. (Dissertation for the Degree of Doctor of Agricultural Sciences.)

SO: Knizhnaya letopis', No. 4, Moscow, 1956

Name: TULAYKOVA, Klavdiya Petrovna

Dissertation: Directed regulation of the composition of microflora of hemp roots for the purpose of improving fodder diet and increasing the yield of this crop

Degree: Doc Agr Sci

Affiliation: Ul'yanov Agr Inst

Defense Date, Place: 22 May 56, Council of Leningrad Agr Inst

Certification Date: 5 Oct 57

Source: BMVO 23/57

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2"

TULAYKOVA, K.P.
TULAYKOVA, K.P., doktor sel'skokhozyaystvennykh nauk.

Role of bacteria of the radiobacter type in root nutrition of plants,
Agrobiologiya no.1:93-101 Ja-F '58. (MIRA 11:2)

1. Ul'yanovskiy sel'skokhozyaystvennyy institut.
(Rhizosphere microbiology) (Plants--Nutrition) (Hemp)

TULAYKOVA, K.P., prof.

Microbiological processes in soil under healthy and chlorosis-
infected apple trees. Agrobiologiya no.2:246-253 Mr-Ap '62.
(MIRA 15:4)

1. Ul'novskiy sel'skokhozyaystvennykh institut.
(Rhizosphere microbiology) (Apple--Diseases and pests)

17(1)

AUTHOR:

Tulbayev, P.

SOV/20-123-2-48/50

TITLE:

On the Factors Causing the Rumination in Ontogenesis (O
puskovykh faktorakh zhvachki v ontogeneze)

PERIODICAL:

Doklady Akademii nauk SSSR, 1958, Vol 123, Nr 2, pp 377-380
(USSR)

ABSTRACT:

The author proved in earlier papers (Refs 4,5) that in goats the characteristics of mechanical reception of the multilocular stomach changes in various stages of the early ontogenesis in strict correlation to the alteration of food stimuli. The change of nutrition (from milk type to compact fodder) leads to a gradual and at the same time differential transformation of all parts of the stomach. It is, however, possible to maintain the mechanical reception with a high excitability, which is inadequate to the age of the animal, by feeding milk for 40-50 days (from the day of birth). Following a proposal by E. Sh. Ayrapet'yants the author studied the relation between the activation of the rumination and the type of fodder. At first the process in normal animals is recalled (calves, cows) (Refs 2,3). For the experiments 13 kids were used, the diet of 5 of which was changed to concentrated and compact fodder at an age of

Card 1/4

On the Factors Causing the Rumination in Ontogenesis SOV/20-123-2-48/50

12-18 days. The other 8 were fed with milk for 2-3 months from the day of birth (with vitamins, mineral substances etc.). The experimental results are shown in figures 1-4. In the case of the 5 kids (compact food) rumination began to assume a rhythmical and periodical character (as in the case of adult animals) 5-8 days after the change of fodder (weaning) (Fig 1). In the 8 animals fed with milk only, eructation and short lasting masticatory movements were only seldom observed (Fig 2). On account of his experiments the author arrives at the conclusion that the reflex of complexes which is called "rumination" is formed at a certain age and is about to become evident on the occasion of changing the animal to compact food. If the animal, however, is not weaned during the early ontogenesis but is fed further on in a way that does not require repeated systematical chewing, the innate mechanism of rumination either does not come into effect at all, or only partially. The disturbance of the eructation reflex owing to the lacking permanent mechanical stimulation of the walls of the antestomach may be considered one of the reasons why the balanced reactions of rumination do not take place. This was proved by the author by means of experiments with a rubber bulb insinu-

Card 2/4

On the Factors Causing the Rumination in Ontogenesis SOV/20-123-2-48/50

ated into the rumen, the distention of which caused rumination in the case of the kids of the first group (compact food). In the case of the kids fed with milk this method did not bear any results. Thus, rumination as an innate reflex occurs in ontogenesis only in the case of interaction with a certain type of feeding. One of the factors causing rumination is the chain of stimuli acting permanently upon the interceptors of the antestomachs. There are 4 figures and 6 references, 5 of which are Soviet.

ASSOCIATION: Laboratoriya interotseptivnykh uslovnykh reflektsov (Laboratory for Reflexes Dependent Upon Interceptors) Nauchno-opytnaya stantsiya Instituta fiziologii im. I. P. Pavlova Akademii nauk SSSR (Scientific Experimental Station of the Institute of Physiology imeni I. P. Pavlov of the Academy of Sciences, USSR)

PRESENTED: July 3, 1958, by K. M. Bykov, Academician

Card 3/4

TULBAYEV, Peysen, Candidate of Biol Sci (diss) -- "On the reflex activity of the multiple stomach of goats in ontogeny and in connection with the type of nutrition". Leningrad, 1959. 16 pp (Acad Sci USSR, Inst of Physiology im I. P. Pavlov, Laboratory of Interoceptive Conditioned Reflexes), 150 copies (KL, No 20, 1959, 111)

TULBAYEV, Peysen

~~Relation~~ of the type of feeding to interoceptive reflex properties
in goats in ontogenesis. Fiziol. zhur. 45 no.5:549-555 My '59.
(MIRA 12:7)

1. Laboratoriya interotseptivnykh uslovykh reflektov Instituta
fiziologii im. I.P. Pavlova AN SSSR, Leningrad.

(GASTROINTESTINAL SYSTEM, physiol.

eff. of type of fodder on interoceptive gastrointestinal
reflexes in young goats (Rus))

(FOOD, eff.

on gastrointestinal interoceptive reactions in young
goats (Rus))

118

CA

Carbohydrates in the skin and in the blood in cases of neurodermatitis. G. I. Landa and D. G. Tulchman. *Ann. Med. (U. S. S. R.)* 13, 587-93 (1937); *Chem. Zentr.* 1938, 1, 1587. — After fasting, the blood sugar in 10% of the cases of neurodermatitis investigated (in all 130 cases were studied) indicated a hyperglycemia. After the administration of glucose 38-65% of the cases showed pathologic curves; such curves were shown even by cases which in the fasting condition showed normal curves. Detn. of the sugar content of the skin showed a hyperglycemia in 76% of cases. These results thus indicate that in most cases neurodermatitis is connected with a disturbance of the carbohydrate balance. M. G. Moore

ASB-SLA DETAILING LITERATURE CLASSIFICATION

ASB-SLA DETAILING LITERATURE CLASSIFICATION

NOWICKI,Stanislaw; TUKALLO,Konstanty

Vascularization of the muscles of the extremities in arterial
diseases. Poznan,tow.przyjaciol nauk,wydz.lek.18 no.4:5-24 '60.
(VASCULAR DISEASES PERIPHERAL)
(LEG blood supply)

TUKALLO, Konstanty; SPORNY, Bogdan

Measurement of surface temperature immediately after lumbar
sympathectomy and partial adrenalectomy in arteritis obliterans.
Poznan.tow.przyjaciol nauk,wyds.lek. 18 no.4:105-110 '60.

(ARTERITIS surg.) .

(SYMPATHECTOMY)

(ADRENALECTOMY)

(BODY TEMPERATURE)

TULBAYEV, Paysen

Conditioned vestibulomotor reflexes in normal rabbits and those
with the labyrinth removed. Trudy Inst.fiziol. 8:207-213 '59.
(MIRA 13:5)

1. Laboratoriya interotseptivnykh uslovnnykh reflektsov (zaveduyu-
shchiy - E.Sh. Ayrapet'yants) Instituta fiziologii im. I.P.
Pavlova AN SSSR.

(CONDITIONED RESPONSE)

AYRAPET'YANTS, Ervand Shamirovich; GRACHEV, Iosif Ivanovich;
TULBAYEV, Peysen Tulbayevich; VASIL'YEVA, Z.A., red.
izd-va; KRUGLIKOVA, N.A., tekhn. red.

[New studies on the physiology of farm animals] Novye issledovaniia po fiziologii sel'skokhoziaistvennykh zhivotnykh. Moskva, Izd-vo AN SSSR, 1963. 94 p.

(MIRA 17:1)

(Conditioned response) (Veterinary physiology)

BELOV, Ye.V.; DZHANGIR'YANTS, D.A.; TUL'BAYEVA, Z.N.

Results of studying the bitumen content and underground waters in
Mesozoic and Paleozoic sediments in the southern part of the Emba
region. Trudy Inst. geol. i geofiz. AN Kazakh. SSR 1:82-90 '63.
(MIRA 16:7)

(Emba region--Water, Underground)
(Emba region--Bitumen--Geology)

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2"

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2"

Tulbure, A.

FOIA b 7

VELCOVICI, D., MD; SPINBERG, C., MD; TULBURE, A., MD;
DINESCU, GH., MD.

State Hospital No 12, Bucharest (Spitalul de Stat Nr. 12,
Bucuresti) - (for all)

Bucharest, Viata Medicala, No 9, 1 May 63, pp 611-616

"Observations on a Case of Hypertrophic Stenosis of the Pylorus
in a Premature Infant."

(Paper given at the meeting held on 27 September 1961
of the Pediatrics Section, Bucharest Branch, U.S.S.R.)

Tulcea, C. T. Ionescu

"Integrarea Functiilor De Multime", by C. T. Ionescu Tulcea.
(presented at the 9 November 1951 session of the Institute
of Mathematics). BULETIN STIINTIFIC, Sectiunea De Stiinte
Matematice Si Fizice, Tom. IV, nr. 1, 1952.

Tulcea, C. T. Ionescu

"Functii De Multime Si Integralele Lor", by C. T. Ionescu
Tulcea. (Mathematics). STUDII SI CERCETARI MATEMATICE,
Tomul V, nr. 1-2, 1954.

Tulcea, C. T. Ionescu.

"Integrale Aditive", by C. T. Ionescu Tulcea. (presented at the 11 December 1953 session to academician S. Stoilov).
COMUNICARILE ACADEMIEI R. P. R., Tomul IV, nr. 9-10, 1954.

MIRER, G.V., inzh.; TUL'CHIN, I.K., inzh.

Determination of the voltage decrease in starting the short-circuited electric motor of an elevator. Prom. energ. 20
no.1:38-41 Ja '65. (MIRA 18:4)

TUL'CHIN, I.K., inzh.

More on the pamphlet "Installation of replaceable concealed elec-
trical wiring in 1-464A series large-panel apartment houses." Svet-
tekhnika 10 no.3:30 Mr '64. (MIRA 17:3)

MIRSK, G.V., inzh.; TURCHEN, I.K., inzh.

Calculation of four-wire lighting networks with gas discharge
lamps. Prom. energ. 19 no.6830-32 Ja'64 (MJRA 1787)

TUL'CHINSKAYA, A.V.

Antibiotic substances in plant seeds. Nauch.dokl.vys.shkoly; biol.
nauki no.2:162-166 '60. (MIRA 13:4)

1. Rekomendovana kafedroy mikrobiologii Odesskogo gosudarstvennogo
universiteta im. I.I. Mechnikova.
(PHYTONCIDES) (SEEDS)

5(2), 5(3)

AUTHORS:

Tolmachev, V. N., Tul'chinskaya, A. Ya. SOV/75-14-3-2/29

TITLE:

Spectrophotometric Investigation of Reactions Which Are Important in Analytical Chemistry (Spektrofotometricheskoye issledovaniye reaktsiy, imeyushchikh znacheniye v analiticheskoy khimii). Communication 2. Complex Compounds Formed by Copper Ions With Sodium Salt of 2-Nitroso-1-Naphthol-4-Sulfo Acid (Soobshcheniye 2. Kompleksnyye soyedineniya, obrazuyemye ionami medi s natriyevoy sol'yu 2-nitrozo-1-naftol-4-sul'fokisloty)

PERIODICAL:

Zhurnal analiticheskoy khimii, 1959, Vol 14, Nr 3, pp 272-277 (USSR)

ABSTRACT:

The light absorption curves of solutions containing Cu^{2+} -ions and the compounds mentioned in the title, in the following termed nitroso salt, were taken at different pH. According to the method devised by I. I. Ostromyslenskiy (Ref 14) and P. Job (Ref 15) the stoichiometric coefficients for the reaction copper ion - nitroso salt were determined and two copper complex ions were found to be formed: CuR^+ and CuR_2^- .

Card 1/2

The molar extinction coefficients and the instability constants

Spectrophotometric Investigation of Reactions Which Are Important in Analytical Chemistry. Communication 2. Complex Compounds Formed by Copper Ions With Sodium Salt of 2-Nitroso-1-Naphthol-4-Sulfo Acid SOV/75-14-3-2/29

of these complexes were determined. The copper complexes investigated proved to be more stable than the corresponding nickel compounds. The optical density and the equilibrium constant are given in tables 1 and 2 for 510, 520, 530, 540 m μ . Table 3 indicates the equilibrium constants in dependence on pH. The high extinction coefficients of NiR $_3^-$ and CuR $_3^-$, and the difference of their absorption curves are sufficient for a spectrophotometric determination of copper and nickel in common solution. The authors express their gratitude to N. P. Komar' for having supervised the investigation. There are 3 figures, 3 tables, and 22 references, 12 of which are Soviet.

ASSOCIATION: Khar'kovskiy gosudarstvennyy universitet im. A. M. Gor'kogo
(Khar'kov State University imeni A. M. Gor'kiy)
SUBMITTED: December 18, 1955
Card 2/2

COUNTRY : USSR
CATEGORY : Microbiology
REF. JOUR. : Ref Zhur-Biologiya, No.4, 1959, No. 14931
AUTHOR : Tul'shinskaya, Gromyko, Fedotov
INST. :
TITLE : Differentiation of Immuno-Diagnostic Reactions
in Vaccinated and Brucella-Stricken Animals.

ORIG. PUB. : Sots. tvorinnitstvo, 1957, No.12, 52-55

ABSTRACT : When large cattle were immunized against brucellosis, the agglutinin titer rose, and often retention of the titer masked recognition of really sick animals. With the immunization 425 young head with a vaccine of strain 19 it was found that the CFR was positive in 59, and the AR was positive in 412 animals. The highest number of CFR was found in the first months following immunization, and then they became negative. The author suggests

CARD:

1/2

VARLAMOV, M.L.; BELENAVICHYUS, K.K.; MANAKIN, G.A.; Prinimali uchastiye
POLUKHINA, T.I.; RHODAKOVSKIY, V.V.; GORCHKOVA, L.V.;
TUL'CHINSKAYA, K.V.; TSITKO, A.S.; SHELAMOV, V.A.

Removal of phthalic anhydride from the waste gases in the production
of glyptal and pentaphthalic varnishes. Nauch. zap. Od. politekh.
inst. 41:10-21 '62. (MIRA 17:4)

BEREZOVSKIY, V.M.; TUL'CHINSKAYA, L.S.; POLYAKOVA, N.A.

Alloxazine and iscalloxazine series. Part 13: Synthesis of
7 aminoalloxazine, 7-amino(demethyl)riboflavine and their
derivatives. Zhur. ob. khim. 35 no.4:673-677 Ap '65.
(MIRA 18:5)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2"

TUL'CHINSKIY.

"Put worker inventiveness to practical use in factory workshops." Leg.prom.
7 no.10:3 of cover. O '47. (MIRA 6:11)
(Industrial management)

TUL'CHINSKIY, B.G.

137-58-2-2899

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 2, p 99 (USSR)

AUTHORS: Tul'chinskiy, B.G., Polezhayev, V.M., Rozenberg, L.B.

TITLE: The Force Exerted in Heading Bolts in the Manufacture of Bolts on Cold-upsetting Machines (Eksperimental'noye issledovaniye sily vysadki golovki bolta pri izgotovlenii yego na kholodnovy-sadochnom avtomate)

PERIODICAL: Nauchn. zap. Dnepropetr. un-t, 1956, Vol 45, pp 177-181

ABSTRACT: An account is given of methods derived and results obtained from an experimental investigation made under production conditions at the Dnepropetrovsk Metal-goods Plant. The investigation consisted in recording on a loop oscillograph the force exerted by the first and second upsetting passes, the operation of the forming punch, and the readings of a timing device - with the aid of wire strain gages pasted to the surface of the forming punch. It was found that the maximum force exerted by the first and second upsetting pass differed from the maximum static-compression force by anywhere up to 5 percent. Attention is drawn to the great disparity in the magnitude of the force as computed with the formula given in the book "Vysadochnyye i otreznyye pressy-avtomaty"

Card 1/2

137-58-2-2899

The Force Exerted in Heading Bolts in the Manufacture of Bolts (cont.)

(Automatic Upsetting and Shearing Presses) by G.A.Navrotsky and its magnitude as determined in the present investigation.

G.F.

1. Bolts—Manufacture 2. Forge presses—Performance—Test results

Card 2/2

TUL'CHINSKIY, E. I.

PA 34/49T68

USSR/Medicine - Public Health,
Education

Sep/Oct 48

Medicine - Public Health, Training

"An Experiment in the Work of the School of Sanitation Education in a Large City," E. I. Tul'chinskiy, Odessa, 3 3/4 pp

"Sov Zdravookhran" No 5

Describes work of the Odessa School, 1946 - 1947.

34/49T68

FDB

BELOV, K.A.; VOLKOVA, O.B.; MAKSIMOVA, M.I.; OGLOBLIN, N.D.; LUK'YACHENKO,
V.N.; TUL'CHINSKAYA, A.Ya.

Effect of the chemical composition of the reagents, used for coal
flotation, on their activity. Koks i khim. no.8:8-12 '62.

(MIRA 17:2)

1. Khar'kovskiy politekhnicheskii institut (for Belov, Volkova,
Maksimova). 2. Khar'kovskiy gornyy institut (for Ogloblin, Luk'-
yanchenko, Tul'chinskaya).

L 6994-56 ENT(1/ENA(h))

ACC NR: AP5026819

SOURCE CODE: UR/0286/65/000/017/0095/0095

INVENTOR: Khil'chevskiy, G. L.; Voytsekhov, Yu. R.; Tul'chinskaya, K. V.; Lazarev, N. V.; Vodolagin, V. Yu.

ORG: none

TITLE: An ultrasonic pickup.¹⁰ Class 42, No. 174452 [announced by Experimental Research and Design Office of the Black Sea Council of National Economy (Eksperimental'no-issledovatel'skiye i konstruktorskoye byuro Chernomorskogo Sovnarkhoza)]

SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 17, 1965, 95

TOPIC TAGS: piezoelectric transducer, ultrasonic inspection, waveguide

ABSTRACT: This Inventor's Certificate introduces an ultrasonic pickup designed for studying gaseous media. The device consists of a housing containing a piezoelectric transducer and a waveguide. Interference from the walls of the vessel being monitored is absorbed by making the housing in the form of a cylindrical labyrinth with rifling.

SUB CODE: EC,IE/ SUBM DATE: 05Oct64/ ORIG REF: 000/ OTH REF: 000

Card 1/2

UDC: 534.232-8

L 6994-66

ACC NR: AP5026819




Fig. 1. 1 - housing; 2 - rifling.

Card 2/2 *46*

112

Methods for preparing vitamin B₁₂ from brewers' yeast.
 K. Z. Tul'chinskaya. *Proc. Inst. Sci. Research Food Ind.* (Leningrad) 2, No. 2, 102-12(1935).--A combined Seidel-Kinnersley-Peters method gave preps. of anti-neuritic vitamin B₁₂ comparing favorably with other preps. described in the literature. Research is now in progress toward application of the lab. method on a com. scale so that vitamin B₁₂ deficiency in the population can be more effectively overcome.
 Julian F. Smith

ASB-31A METALLURGICAL LITERATURE CLASSIFICATION

1st AND 2ND COLUMNS

PROCESSES AND PROPERTIES INDEX

3RD AND 4TH COLUMNS

COMMON ELEMENTS

COMMON VARIETIES INDEX

COMMON

MATERIALS INDEX

ASAC 31A METALLURGICAL LITERATURE CLASSIFICATION

1930-1939

1940-1949

1950-1959

1960-1969

1970-1979

1980-1989

1990-1999

2000-2009

2010-2019

2020-2029

2030-2039

2040-2049

2050-2059

2060-2069

2070-2079

2080-2089

2090-2099

2100-2109

2110-2119

2120-2129

2130-2139

2140-2149

2150-2159

2160-2169

2170-2179

2180-2189

2190-2199

2200-2209

2210-2219

2220-2229

2230-2239

2240-2249

2250-2259

2260-2269

2270-2279

2280-2289

2290-2299

2300-2309

2310-2319

2320-2329

2330-2339

2340-2349

2350-2359

2360-2369

2370-2379

2380-2389

2390-2399

2400-2409

2410-2419

2420-2429

2430-2439

2440-2449

2450-2459

2460-2469

2470-2479

2480-2489

2490-2499

2500-2509

2510-2519

2520-2529

2530-2539

2540-2549

2550-2559

2560-2569

2570-2579

2580-2589

2590-2599

2600-2609

2610-2619

2620-2629

2630-2639

2640-2649

2650-2659

2660-2669

2670-2679

2680-2689

2690-2699

2700-2709

2710-2719

2720-2729

2730-2739

2740-2749

2750-2759

2760-2769

2770-2779

2780-2789

2790-2799

2800-2809

2810-2819

2820-2829

2830-2839

2840-2849

2850-2859

2860-2869

2870-2879

2880-2889

2890-2899

2900-2909

2910-2919

2920-2929

2930-2939

2940-2949

2950-2959

2960-2969

2970-2979

2980-2989

2990-2999

3000-3009

3010-3019

3020-3029

3030-3039

3040-3049

3050-3059

3060-3069

3070-3079

3080-3089

3090-3099

3100-3109

3110-3119

3120-3129

3130-3139

3140-3149

3150-3159

3160-3169

3170-3179

3180-3189

3190-3199

3200-3209

3210-3219

3220-3229

3230-3239

3240-3249

3250-3259

3260-3269

3270-3279

3280-3289

3290-3299

3300-3309

3310-3319

3320-3329

3330-3339

3340-3349

3350-3359

3360-3369

3370-3379

3380-3389

3390-3399

3400-3409

3410-3419

3420-3429

3430-3439

3440-3449

3450-3459

3460-3469

3470-3479

3480-3489

3490-3499

3500-3509

3510-3519

3520-3529

3530-3539

3540-3549

3550-3559

3560-3569

3570-3579

3580-3589

3590-3599

3600-3609

3610-3619

3620-3629

3630-3639

3640-3649

3650-3659

3660-3669

3670-3679

3680-3689

3690-3699

3700-3709

3710-3719

3720-3729

3730-3739

3740-3749

3750-3759

3760-3769

3770-3779

3780-3789

3790-3799

3800-3809

3810-3819

3820-3829

3830-3839

3840-3849

3850-3859

3860-3869

3870-3879

3880-3889

3890-3899

3900-3909

3910-3919

3920-3929

3930-3939

3940-3949

3950-3959

3960-3969

3970-3979

3980-3989

3990-3999

4000-4009

4010-4019

4020-4029

4030-4039

4040-4049

4050-4059

4060-4069

4070-4079

4080-4089

4090-4099

4100-4109

4110-4119

4120-4129

4130-4139

4140-4149

4150-4159

4160-4169

4170-4179

4180-4189

4190-4199

4200-4209

4210-4219

4220-4229

4230-4239

4240-4249

4250-4259

4260-4269

4270-4279

4280-4289

4290-4299

4300-4309

4310-4319

4320-4329

4330-4339

4340-4349

4350-4359

4360-4369

4370-4379

4380-4389

4390-4399

4400-4409

4410-4419

4420-4429

4430-4439

4440-4449

4450-4459

4460-4469

4470-4479

4480-4489

4490-4499

4500-4509

4510-4519

4520-4529

4530-4539

4540-4549

4550-4559

4560-4569

4570-4579

4580-4589

4590-4599

4600-4609

4610-4619

4620-4629

4630-4639

4640-4649

4650-4659

4660-4669

4670-4679

4680-4689

4690-4699

4700-4709

4710-4719

4720-4729

4730-4739

4740-4749

4750-4759

4760-4769

4770-4779

4780-4789

1ST AND 2ND CODES

3RD AND 4TH CODES

PROCESSES AND PROPERTIES INDEX

COMMON ELEMENTS

COMMON VARIANTS INDEX

MATERIALS INDEX

Chemistry and biochemistry of flavins. Vitamins and vitaminization. V. V. Oppel. *Proc. Sci. Inst. Vitamin Research U. S. S. R.* 1, No. 2, 6-52 (1936).—A review of literature with about 60 references. Antiscorbutic vitamin concentrates obtained from some products of no food value. II. K. Z. Tul'chinskaya. *Ibid.* 63-60 (in English 60-1); cf. C. A. 30, 3481¹².—The antiscorbutic potency of concentrates from vegetable waste products of no food value was tested on guinea pigs. The curative doses are: red bilberry leaf (1.79 g.), black currant leaf (0.28 g.), red currant leaf (0.69 g.), semi-sugar beet leaf (1 g.). The latter is a suitable source for com. production of concentrates rich in vitamin C. Artificially fortifying dried *monachnia* with antiscorbutic concentrates. K. Z.

Tul'chinskaya and V. V. Kalgorodova. *Ibid.* 62-76 (in English 76).—From biol. tests of the antiscorbutic potency of a stewed mixt. of dried vegetables enriched with vitamin C by addn. of cabbage concentrate, it was found that the added vitamin is rapidly and completely destroyed in cabbage, beet root and carrots, and slowly in onions and potatoes (1 month). Vitamin C added to soups prepd. from dried vegetables retains its activity for 30-60 min. Artificial vitamin enrichment of canned vegetables and nonalcoholic beverages. A. A. Schmidt and P. S. Nedelkov. *Ibid.* 77-85 (in English 85); cf. C. A. 30, 3481¹², 3482¹² and preceding abstr.—On addn. of fresh-cabbage concentrate to dried cabbage vitamin C was completely decompd. in the process of stewing. Carrot stew retained about 50% vitamin. Nonalc. beverages of lemon-

ade, cranberry cider and kvas (a kind of bread cider) retained fully the added vitamin C for the test period of 6-10 days. Conservation of antiscorbutic vitamins in lemonade by means of cane sugar. K. Z. Tul'chinskaya and G. I. Yurtsev. *Ibid.* 86-92 (in English 93-4).—Lemonade kept in sugar syrup for 4 months at room temp. lost about 90% of the juice and pulp wt. and 78% of vitamin C. About 30% of vitamin C diffused into the syrup. The antiscorbutic potency of this soln. is fairly stable. Experiments on the conservation of vitamin C in concentrates. K. Z. Tul'chinskaya and A. A. Mikhailova. *Ibid.* 93-111 (in English 111).—Portions of pine-needle ext., with and without addns. of 25% cane sugar and 21% alc., which kept in flasks in CO₂ atm. at 10-16° for 6.5 months lost about 26% of vitamin C. The preliminary expts. have not revealed the effect of preservatives on the antiscorbutic action of the concentrate. Pouring the concentrate from one flask into another every 24 hrs. for 10 days showed some destructive action of atm. O₂ on vitamin C. Vitamin content in certain products of no food value. S. N. Komarov. *Ibid.* 112-17 (in English 117).—Preliminary tests showed that some conifers and annual grasses of the Far East have considerable reducing power and can be used as sources of vitamin C. Of the various algae of Japanese Sea only *Ulva lactuca*, *Cystophyllum gomonium* and *Sargassum confusum* especially possess fair reducing power (Tillmann). The latter was used in 1-g. doses of the dried plant in curative tests on guinea pigs with pos. results. Oysters and mollusks also contain a fair amt. of reducing substances. Characteristics of the biosynthesis of antiscorbutic vitamin. II. Z. P. Karmanova. *Ibid.* 118-26 (in English 126); cf. C. A. 30, 3482¹².—Titration

E

22

to the presence of 2,6-dichlorophenolindophenol and biol. tests on guinea pigs of exts. of peas growing in pots at 15-16° showed that the max. accumulation of vitamin C takes place within 66 hrs. of germination. According to the biol. tests, the reducing power of exts. of germinating peas depends chiefly, if not exclusively, on the content of ascorbic acid. Degerminated peas and germinating pea meal, with and without germs, showed increasing concn. of reducing substances in cultivation tests. The curative action of antiscorbutic pine-needle concentrate. S. N. Komarov. *Ibid.* 127-30 (in English 130).—The recovery of 53 cases of scurvy on application of pine-needle concentrate produced by the Leningrad Vitamin Works by the method of Shmidt and Tul'chinskaya (C. A. 30, 34817) is reported. The cures were effected in 7-20 days with daily optimum doses of 20 biol. units with no harmful effect on the human organism even in cases of kidney disorder. Administering of vitamins in gynecological affections. G. N. Yaropol'skaya. *Ibid.* 131-3 (in English 132).—Concentrate of vitamin C in doses of 20 biol. units daily for 14-15 days produced healing of erosion of the cervix uteri in 3 cases, and abs. cure in 12 cases of uterine hemorrhages, of which 6 were of the preclimacteric nature, 1 juvenile and 5 cases of hemorrhage caused by persistent follicle. The blood coagulability as well as the relative no. of thrombocytes was increased. Histological changes in the teeth of experimentally scorbutic guinea pigs. A. A. Mikhailova. *Ibid.* 134-9 (in English 139); cf. C. A. 30, 34814. —Histological examination of the teeth of test animals by Beishovskii Ag impregnation and Malow and Heidenhain staining methods re-

vealed certain changes in the dentine and peripheral layer of the pulp characteristic of the different stages of expl. scurvy. M. was able to establish the genesis of the pathol. dentine and to trace the differentiation processes involving odontoblastic elements. Comparative estimation of certain vitamin C diets used in biological tests of the vitamin C concentrates. Z. B. Kusova. *Ibid.* 140-60 (in English 161).—Three groups of guinea pigs, each consisting of 3 males and 9 females, were fed on the 3 diets for 3 months and then crossed. The diets were: (a) oats, hay autoclaved at 120° for 2 hrs., rye bread (given on the 20th day of expt.), water, antiscorbutic concentrate (equal to 1.5 mg. ascorbic acid a day per guinea pig); (b) the same as a with carrots added; (c) oats, new hay, fresh vegetables, water. Diets a and b produced a marked delay in the wt. increase of the animals in the 1st month as compared with the diet c. The difference in the wt. increase of animals fed on a and b was most pronounced in the 1st month and definitely in favor of the diet b. Crossing of the 3 groups of animals resulted in a live litter for group 3, equal no. of still and live born for group 1, and greater no. of still-born than live-born young for the group 2. Except for the traces of an old hemorrhage in 1 animal of the 1st group and traces of recent hemorrhages in the group 2, the macroscopic examn. failed to reveal any scorbutic changes. Methods of obtaining an antiscorbutic preparation from the waste products of citric acid manufacture (from the mycelium of *Aspergillus niger*). S. N. Komarov. *Ibid.* 162-71 (in English 171-2).—Of the various methods of obtaining antiscorbutic prepn. from the mycelium of *Aspergillus niger*, a waste product in the manuf. of citric acid, the highest concns. of sterols resulted by extra. with Me₂CO and alc. and the lowest with CCl₄. The method of sapon. of undried mycelium with 3% NaOH for the sepn. of free sterols gave the best results. The content of sterols in the mycelia of various production cycles varies but slightly. It is considerably increased by increased adding of N to the culture of the fungus (cf. Prill, *et al.*, C. A. 29, 3735). Sterols obtained by

1ST AND 2ND COLUMNS		PROCESSING AND PROPERTY INDEX	
CA	extn. with alc., m. 150-2°, [α] _D 118.5-20.2, have higher m. ps. than those obtained with petr. ether. Irradiated purified preps. given in doses of 0.1-0.3 γ prevented rickets in rats. About 40 references. Rosenheim's color reaction for ergosterol. V. V. Oppel and E. A. Markar'yan. <i>Ibid.</i> 173-87 (in English 187).—In the Rosenheim color reaction for ergosterol with $\text{C}_6\text{H}_5\text{CO}_2\text{H}$ the concn. of the sterol is not parallel to the intensity of color, which rises constantly for 2 hrs. without reaching the max. The color intensity is affected by the presence of CHCl_3 and varies with the acid concn. and temp. The method can be used for detn. in the absence of CHCl_3 at definite conditions of concn., time and temp. when speed and not accuracy is of primary importance. The effect of irradiation conditions on the process of ergosterol activation. E. A. Markar'yan. <i>Ibid.</i> 188-97 (in English 197); cf. C. A. 29, 3481 ¹ ; 30, 8273 ² .—Incomplete expl. results of aerobic irradiation of solns. of 1, 5, 10 and 25 mg. sterols in 100 cc. alc. gave fairly active vitamin D preps. The biol. dosage of the preps. varied between 0.1 and 0.5 γ. Graphic interpolation of the results of biol. tests show that increasing the concn. of irradiated sterol solns. gave a greater yield of active preps. but of lower degree of potency. Twenty references. Enrichment of foods with vitamin D concentrates. II. E. A. Markar'yan. <i>Ibid.</i> 198-203 (in English 200); cf. C. A. 29, 3481 ¹ ; 30, 8273 ² .—Biscuits of inadequate antirachitic potency, when irradiated with ultraviolet light for 30 min., or prepd. from a dough treated with vitamin D concentrate, attain considerable potency even after baking at 180-200°, since the activity of vitamin D concentrate persists after heating as high as 200° for 35-45 min. Rats fed with the vitamin-fortified biscuits gained in wt. considerably. Preserving the irradiated preps. in alc. caused some loss of the antirachitic potency. III. <i>Ibid.</i> 207-15 (in English 215).—After irradiation with ultraviolet light for 10 min., sunflower oil became very rich in vitamin D. Exposure to sunlight (Leningrad) for 30 min. produced increased antirachitic potency in the oil, though less so than by irradiation. Feeding rats on irradiated sunflower oil caused delayed growth (cf. Herzacy and Rupinus, C. A. 28, 3107 ³). Chas. Blanc		
ASM-SLA METALLURGICAL LITERATURE CLASSIFICATION		1954-1955	
1954-1955		1954-1955	

1ST AND 2ND EDITIONS										3RD AND 4TH EDITIONS									
PROCESSES AND PROPERTIES INDEX																			
<p><i>GA</i></p> <p>Antagonism and synergism among vitamins. K. Z. Tol'chinskaya. Proc. Sci. Inst. Vitamin Research U.S.S.R. Veterin. Inst. im. Bauman 50, No. 2, 3-18(1938); Khim. Referat. Zhur. 1940, No. 4, 37-8.—In 30 dromedaries the av. contents of sugar and chlorides in whole blood were 48 and 313 mg. % and in the serum 104 and 380 mg. %, resp. The serum contains (av.) Ca 11.3, K 18.2, Na 231 and inorg. P 8.8 mg. %. W. R. Henn.</p> <p>Effect of sugar ingestion on resistance to anoxemia and ascapia at high altitudes. M. Polonovski. Bull. acad. med. 123, 668-94(1940); cf. Sukhovskii, C. A. 34, 5137.</p> <p>—Physiopathologic variations within the organism from decreased atm. pressure, psychophysiol. tests and the threshold of altitude, where biochem. imbalance starts.</p>																			
<p>ASB-51A METALLOGICAL LITERATURE CLASSIFICATION</p> <p>2000 1000000</p> <p>2000 1000000</p> <p>2000 1000000</p>																			

<p>11E AND 11ND 249478</p>		<p>11E AND 11ND 249478</p>	
<p>CA</p>		<p>17</p>	
<p>Antiscurbic vitamin concentrates from some foodable products. IV. Preparing vitamin C concentrates from sugar-beet leaves. K. E. Tul'chinskaya. <i>Proc. Sci. Inst. Vitamin Research U. S. S. R.</i> 3, No. 1, 50-54(1941); cf. C. A. 31, 831P. Ascorbic acid (I) was detd. in sugar-beet and turnip-leaves at various growth stages. Accumulation of I progresses as the plant grows. Thus, the I content of sugar-beet leaves (in mg. %) was 42.16 in July, 70.22 in August and 93.15 in September. The corresponding figures for turnip leaves were 51.9, 70.60 and 105.4. Distribution of I is not even; leaf tissue has the highest and stems the lowest I content. After harvesting, the loss of I may reach about 10% in 24 hrs. or 14% in 48 hrs. in leaves still attached to the roots. Growing plants can be stripped of about half of their leaves without serious injury. Thus sugar-beet or turnip leaves might be utilized in prep. I concentrates. Acids such as HCl or SO₂ are not highly effective as vitamin stabilizers in beet or turnip leaves. Julian F. Smith</p>			
<p>ASB.SLA METALLURGICAL LITERATURE CLASSIFICATION</p>			
<p>11E AND 11ND 249478</p>		<p>11E AND 11ND 249478</p>	
<p>11E AND 11ND 249478</p>			

<p>1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100</p>																									
<p>101 102 103 104 105 106 107 108 109 110 111 112 113 114 115 116 117 118 119 120 121 122 123 124 125 126 127 128 129 130 131 132 133 134 135 136 137 138 139 140 141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200</p>																									
<p>201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300</p>																									
<p>301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400</p>																									
<p>401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500</p>																									
<p>501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600</p>																									
<p>601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700</p>																									
<p>701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800</p>																									
<p>801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900</p>																									
<p>901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000</p>																									
<p>1001 1002 1003 1004 1005 1006 1007 1008 1009 1010 1011 1012 1013 1014 1015 1016 1017 1018 1019 1020 1021 1022 1023 1024 1025 1026 1027 1028 1029 1030 1031 1032 1033 1034 1035 1036 1037 1038 1039 1040 1041 1042 1043 1044 1045 1046 1047 1048 1049 1050 1051 1052 1053 1054 1055 1056 1057 1058 1059 1060 1061 1062 1063 1064 1065 1066 1067 1068 1069 1070 1071 1072 1073 1074 1075 1076 1077 1078 1079 1080 1081 1082 1083 1084 1085 1086 1087 1088 1089 1090 1091 1092 1093 1094 1095 1096 1097 1098 1099 1100</p>																									
<p>1101 1102 1103 1104 1105 1106 1107 1108 1109 1110 1111 1112 1113 1114 1115 1116 1117 1118 1119 1120 1121 1122 1123 1124 1125 1126 1127 1128 1129 1130 1131 1132 1133 1134 1135 1136 1137 1138 1139 1140 1141 1142 1143 1144 1145 1146 1147 1148 1149 1150 1151 1152 1153 1154 1155 1156 1157 1158 1159 1160 1161 1162 1163 1164 1165 1166 1167 1168 1169 1170 1171 1172 1173 1174 1175 1176 1177 1178 1179 1180 1181 1182 1183 1184 1185 1186 1187 1188 1189 1190 1191 1192 1193 1194 1195 1196 1197 1198 1199 1200</p>																									
<p>1201 1202 1203 1204 1205 1206 1207 1208 1209 1210 1211 1212 1213 1214 1215 1216 1217 1218 1219 1220 1221 1222 1223 1224 1225 1226 1227 1228 1229 1230 1231 1232 1233 1234 1235 1236 1237 1238 1239 1240 1241 1242 1243 1244 1245 1246 1247 1248 1249 1250 1251 1252 1253 1254 1255 1256 1257 1258 1259 1260 1261 1262 1263 1264 1265 1266 1267 1268 1269 1270 1271 1272 1273 1274 1275 1276 1277 1278 1279 1280 1281 1282 1283 1284 1285 1286 1287 1288 1289 1290 1291 1292 1293 1294 1295 1296 1297 1298 1299 1300</p>																									
<p>1301 1302 1303 1304 1305 1306 1307 1308 1309 1310 1311 1312 1313 1314 1315 1316 1317 1318 1319 1320 1321 1322 1323 1324 1325 1326 1327 1328 1329 1330 1331 1332 1333 1334 1335 1336 1337 1338 1339 1340 1341 1342 1343 1344 1345 1346 1347 1348 1349 1350 1351 1352 1353 1354 1355 1356 1357 1358 1359 1360 1361 1362 1363 1364 1365 1366 1367 1368 1369 1370 1371 1372 1373 1374 1375 1376 1377 1378 1379 1380 1381 1382 1383 1384 1385 1386 1387 1388 1389 1390 1391 1392 1393 1394 1395 1396 1397 1398 1399 1400</p>																									
<p>1401 1402 1403 1404 1405 1406 1407 1408 1409 1410 1411 1412 1413 1414 1415 1416 1417 1418 1419 1420 1421 1422 1423 1424 1425 1426 1427 1428 1429 1430 1431 1432 1433 1434 1435 1436 1437 1438 1439 1440 1441 1442 1443 1444 1445 1446 1447 1448 1449 1450 1451 1452 1453 1454 1455 1456 1457 1458 1459 1460 1461 1462 1463 1464 1465 1466 1467 1468 1469 1470 1471 1472 1473 1474 1475 1476 1477 1478 1479 1480 1481 1482 1483 1484 1485 1486 1487 1488 1489 1490 1491 1492 1493 1494 1495 1496 1497 1498 1499 1500</p>																									
<p>1501 1502 1503 1504 1505 1506 1507 1508 1509 1510 1511 1512 1513 1514 1515 1516 1517 1518 1519 1520 1521 1522 1523 1524 1525 1526 1527 1528 1529 1530 1531 1532 1533 1534 1535 1536 1537 1538 1539 1540 1541 1542 1543 1544 1545 1546 1547 1548 1549 1550 1551 1552 1553 1554 1555 1556 1557 1558 1559 1560 1561 1562 1563 1564 1565 1566 1567 1568 1569 1570 1571 1572 1573 1574 1575 1576 1577 1578 1579 1580 1581 1582 1583 1584 1585 1586 1587 1588 1589 1590 1591 1592 1593 1594 1595 1596 1597 1598 1599 1600</p>																									
<p>1601 1602 1603 1604 1605 1606 1607 1608 1609 1610 1611 1612 1613 1614 1615 1616 1617 1618 1619 1620 1621 1622 1623 1624 1625 1626 1627 1628 1629 1630 1631 1632 1633 1634 1635 1636 1637 1638 1639 1640 1641 1642 1643 1644 1645 1646 1647 1648 1649 1650 1651 1652 1653 1654 1655 1656 1657 1658 1659 1660 1661 1662 1663 1664 1665 1666 1667 1668 1669 1670 1671 1672 1673 1674 1675 1676 1677 1678 1679 1680 1681 1682 1683 1684 1685 1686 1687 1688 1689 1690 1691 1692 1693 1694 1695 1696 1697 1698 1699 1700</p>																									
<p>1701 1702 1703 1704 1705 1706 1707 1708 1709 1710 1711 1712 1713 1714 1715 1716 1717 1718 1719 1720 1721 1722 1723 1724 1725 1726 1727 1728 1729 1730 1731 1732 1733 1734 1735 1736 1737 1738 1739 1740 1741 1742 1743 1744 1745 1746 1747 1748 1749 1750 1751 1752 1753 1754 1755 1756 1757 1758 1759 1760 1761 1762 1763 1764 1765 1766 1767 1768 1769 1770 1771 1772 1773 1774 1775 1776 1777 1778 1779 1780 1781 1782 1783 1784 1785 1786 1787 1788 1789 1790 1791 1792 1793 1794 1795 1796 1797 1798 1799 1800</p>																									
<p>1801 1802 1803 1804 1805 1806 1807 1808 1809 1810 1811 1812 1813 1814 1815 1816 1817 1818 1819 1820 1821 1822 1823 1824 1825 1826 1827 1828 1829 1830 1831 1832 1833 1834 1835 1836 1837 1838 1839 1840 1841 1842 1843 1844 1845 1846 1847 1848 1849 1850 1851 1852 1853 1854 1855 1856 1857 1858 1859 1860 1861 1862 1863 1864 1865 1866 1867 1868 1869 1870 1871 1872 1873 1874 1875 1876 1877 1878 1879 1880 1881 1882 1883 1884 1885 1886 1887 1888 1889 1890 1891 1892 1893 1894 1895 1896 1897 1898 1899 1900</p>																									
<p>1901 1902 1903 1904 1905 1906 1907 1908 1909 1910 1911 1912 1913 1914 1915 1916 1917 1918 1919 1920 1921 1922 1923 1924 1925 1926 1927 1928 1929 1930 1931 1932 1933 1934 1935 1936 1937 1938 1939 1940 1941 1942 1943 1944 1945 1946 1947 1948 1949 1950 1951 1952 1953 1954 1955 1956 1957 1958 1959 1960 1961 1962 1963 1964 1965 1966 1967 1968 1969 1970 1971 1972 1973 1974 1975 1976 1977 1978 1979 1980 1981 1982 1983 1984 1985 1986 1987 1988 1989 1990 1991 1992 1993 1994 1995 1996 1997 1998 1999 2000</p>																									
<p>2001 2002 2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016 2017 2018 2019 2020 2021 2022 2023 2024 2025 2026 2027 2028 2029 2030 2031 2032 2033 2034 2035 2036 2037 2038 2039 2040 2041 2042 2043 2044 2045 2046 2047 2048 2049 2050 2051 2052 2053 2054 2055 2056 2057 2058 2059 2060 2061 2062 2063 2064 2065 2066 2067 2068 2069 2070 2071 2072 2073 2074 2075 2076 2077 2078 2079 2080 2081 2082 2083 2084 2085 2086 2087 2088 2089 2090 2091 2092 2093 2094 2095 2096 2097 2098 2099 2100</p>																									
<p>2101 2102 2103 2104 2105 2106 2107 2108 2109 2110 2111 2112 2113 2114 2115 2116 2117 2118 2119 2120 2121 2122 2123 2124 2125 2126 2127 2128 2129 2130 2131 2132 2133 2134 2135 2136 2137 2138 2139 2140 2141 2142 2143 2144 2145 2146 2147 2148 2149 2150 2151 2152 2153 2154 2155 2156 2157 2158 2159 2160 2161 2162 2163 2164 2165 2166 2167 2168 2169 2170 2171 2172 2173 2174 2175 2176 2177 2178 2179 2180 2181 2182 2183 2184 2185 2186 2187 2188 2189 2190 2191 2192 2193 2194 2195 2196 2197 2198 2199 2200</p>																									
<p>2201 2202 2203 2204 2205 2206 2207 2208 2209 2210 2211 2212 2213 2214 2215 2216 2217 2218 2219 2220 2221 2222 2223 2224 2225 2226 2227 2228 2229 2230 2231 2232 2233 2234 2235 2236 2237 2238 2239 2240 2241 2242 2243 2244 2245 2246 2247 2248 2249 2250 2251 2252 2253 2254 2255 2256 2257 2258 2259 2260 2261 2262 2263 2264 2265 2266 2267 2268 2269 2270 2271 2272 2273 2274 2275 2276 2277 2278 2279 2280 2281 2282 2283 2284 2285 2286 2287 2288 2289 2290 2291 2292 2293 2294 2295 2296 2297 2298 2299 2300</p>																									
<p>2301 2302 2303 2304 2305 2306 2307 2308 2309 2310 2311 2312 2313 2314 2315 2316 2317 2318 2319 2320 2321 2322 2323 2324 2325 2326 2327 2328 2329 2330 2331 2332 2333 2334 2335 2336 2337 2338 2339 2340 2341 2342 2343 2344 2345 2346 2347 2348 2349 2350 2351 2352 2353 2354 2355 2356 2357 2358 2359 2360 2361 2362 2363 2364 2365 2366 2367 2368 2369 2370 2371 2372 2373 2374 2375 2376 2377 2378 2379 2380 2381 2382 2383 2384 2385 2386 2387 2388 2389 2390 2391 2392 2393 2394 2395 2396 2397 2398 2399 2400</p>																									
<p>2401 2402 2403 2404 2405 2406 2407 2408 2409 2410 2411 2412 2413 2414 2415 2416 2417 2418 2419 2420 2421 2422 2423 2424 2425 2426 2427 2428 2429 2430 2431 2432 2433 2434 2435 2436 2437 2438 2439 2440 2441 2442 2443 2444 2445 2446 2447 2448 2449 2450 2451 2452 2453 2454 2455 2456 2457 2458 2459 2460 2461 2462 2463 2464 2465 2466 2467 2468 2469 2470 2471 2472 2473 2474 2475 2476 2477 2478 2479 2480 2481 2482 2483 2484 2485 2486 2487 2488 2489 2490 2491 2492 2493 2494 2495 2496 2497 2498 2499 2500</p>																									
<p>2501 2502 2503 2504 2505 2506 2507 2508 2509 2510 2511 2512 2513 2514 2515 2516 2517 2518 2519 2520 2521 2522 2523 2524 2525 2526 2527 2528 2529 2530 2531 2532 2533 2534 2535 2536 2537 2538 2539 2540 2541 2542 2543 2544 2545 2546 2547 2548 2549 2550 2551 2</p>																									

Biosynthesis of ascorbic acid (vitamin C) K. Z. Tul'chinskaya. *Proc. Sci. Inst. Vitamin Research U. S. S. R.* J. No. 1, 180-90(1911). -- In plants synthesis of vitamin C (I) is strictly anaerobic. In germinating peas accumulation of I is related to germination, but not to development of the dehydrase system. As little as 0.001% CuSO₄ with aeration, promotes both germination and synthesis of I. Accumulation of I is inhibited by CHCl₃, and by Fe salts. In chick embryos I accumulates up to the 4th day (to the 12th day in the brain) and then decreases. This study, coupled with tests of hatched chicks, indicates that synthesis (and also consumption) of I is especially active in tissues with strong redox systems. Probably every tissue is independently capable of synthesizing I to meet its own requirements. Introduction of glucose into rat intestines does not stimulate synthesis of I but is followed by some enrichment of I in the liver, probably due to trauma. When glucose is introduced into rat stomachs by stomach tube without injury to the animal there is no increase of I in the liver,

Julian F. Smith

114

EST. AND ENG. CODES

PROCESSES AND PROPERTIES INDEX

24

New protein-vitamin preparations: their biological and chemical evaluation. K. L. Tulchinskaya. Vitamin Research News (U.S.S.R.) 1966, No. 1, 39. Yeast, combined with vegetable greens and carrots, was transformed into prepur, called protein-vitamin pastes (no further data). For max. preservation of ascorbic acid, the greens must be blanched in vegetable oil 6-10 min. at 110-20°. The pastes retain 35-50% ascorbic acid after 7-8 months. The pastes average 16.30-23.37 mg.% ascorbic acid, 0.2-0.3 mg.% aneurine, 6.15-14.23 mg.% carotene, 2.51-4.88% N, 10.5-30.2% carbohydrates, 0.48-0.85% P, 0.22-0.35% Ca and 32.1-67.6 mg.% Fe. The bakera yeast in these prepur, can replace casein in nutrition. G. M. Koudapoff

ASAC. SLA METALLURGICAL LITERATURE CLASSIFICATION

GROUP SYMBOLS

SYMBOLS FOR USE

REMARKS

DATE

BY

04

11H

Interaction between vitamins and hormones. K. Z. Tulchinskaya. *Vitamin Research News* (U.S.S.R.) 1946, No. 1, 30.---Daily injection of 0.1 g. thyroid ext. into rats gave an increase in ascorbic acid in all tissues, especially in the intestine (up to 80%). Injection of 0.2 cc. of 1:10,000 or 1:100,000 soln. of adrenaline every other day lowered ascorbic acid in suprarenals and raised it in all other tissues (as much as 94.2%). Injection of 0.5 cc. of 1:1000 adrenaline gave a progressive fall of ascorbic acid in suprarenals (40% drop in 2 hrs.) and a rise in the intestinal mucosa (24% in 2 hrs.). G. M. Kuznetsov

ASS-56A METALLURGICAL LITERATURE CLASSIFICATION

11. The following information was obtained from the file of the subject, [redacted], who was interviewed on [redacted] and [redacted] and who provided the following information:

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2"

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2"

TUL'CHINSKAYA, K.Z.; VADOVA, V.A.; YAKOVLEVA, Ye.V.

Study of the influence of increased doses of vitamins on the
animal organism. Trudy VNIIV 6:192-203 '59. (MIRA 13:7)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.
Biologicheskaya laboratoriya.
(VITAMINS)

Tul'chinskaya, L.S.

GORBACHEVA, I.N.; VARNAKOVA, I.P.; MONICH, N.V.; POLYACHENKO, V.M.; ROMANOVA,
A.S.; TUL'CHINSKAYA, L.S.; SHVARTSBERG, M.S.

Synthesis of substituted 1-benzyl-3,4-dihydroisoquinolines. Zhur.
ob. khim. 27 no.8:2276-2282 Ag '57. (MLRA 10:9)

1. Moskovskiy institut tonkoy khimicheskoy tekhnologii.
(Quinoline)

DEREZOVSKIY, V.M.; TUL'CHINSKAYA, L.S.

Rearrangement of triazenes. Part 2: Synthesis of aromatic o-aminoazo compounds not corresponding in structure to the components of initial triazenes. Zhur. ob. khim. 31 no. 11:3614-3621 N '61.
(MIRA 14:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.
(Triazene) (Azo compounds)

BEREZOVSKIY, V.M.; TUL'CHINSKAYA, L.S.; VOLIKOVA, N.G.

New synthesis of 5,6-dimethylbenzimidazole. Zhur.ob.khim. 30
no.10:3434-3437 0 '61. (MIRA 14:4)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.
(Benzimidazole)

BEREZOVSKIY, V.M.; TUL'CHINSKAYA, L.S.; YEREMENKO, T.V.; RODIONOVA, Ye.P.
BARSKAYA, M.A.

Series of alloxazine and iscalloxazine. Part 5: Catalysts of the
reaction of secondary aromatic orthoaminoazo compounds with
trihydroxypyrimidines. Zhur. ob. khim. 31 no. 11:3689-3694 N '61.
(MIRA 14:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.
(Alloxazine) (Isocalloxazine) (Catalysts)

BEREZOVSKIY, V.M.; TUL'CHINSKAYA, L.S.

Rearrangements of triazenes. Part 3: Rearrangement of aromatic compounds with a fixed triazene system. Zhur.ob.khim. 32
no.3:853-857 Mr '62. (MIRA 15:3)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.
(Triazene)

BEREZOVSKIY, V.M.; TUL'CHINSKAYA, L.S.

Rearrangement of triazenes. Part 1: Rearrangement of
asymmetric triazenes in aminoazo compounds. Zhur.ob.khim.
31 no.8:2774-2779 Ag '61. (MIRA 14:8)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.
(Triazene) (Azo compounds)

BEREZOVSKIY, V.M.; TUL'CHINSKAYA, L.S.

Series of alloxazine and iscalloxazine. Part 2: New synthesis
of the compounds of the alloxazine series. Zhur.ob.khim.
31 no.8:2779-2782 Ag '61. (MIRA 14:8)

1. Vsesoyuznyy nauchno-issledovatel'skiy vitaminnyy institut.
(Alloxazine)

TUL'CHINSKAIA, V. P., Prof.

TUL'CHINSKAIA, V. P.: (Professor, Kirgiz Agricultural Institute) and
IVANOVA, V. I.: (Scientific Coworker, Kirgiz Veterinary Experimental Station).
"Experiment at isolating and preparing coliparatyphous pnages and using them in
veterinary practice.

SO: BACTERIOPHAGIA IN VETERINARY PRACTICE, Proceedings of the Veterinary Section
of the Academy, p. 55, Moscow, 1947. Trans. 191, by L. Lulich, Uncl.

TULICHINSKAYA, V. P.

Brucellosis of Farm Animals, and Measures for its Prevention, Kiev, 1950, 36 pages, (Academy of Sciences Ukrainian SSR Council of Scientific and Technical Propaganda), 80 Kopeks, Copies -- 5,000.

SO: , Report, U-4724, Sept. 30, 1953, . (Veterinaryiya, No. 4, Apr. 1951, pp. 60-61, Moscow.)

TUL'CHINSKAYA, V.P., professor; DEMCHENKO, A.V.

Antibacterial properties of polyanol, a synthetic estrogenic substance.
Mikrobiol.zhur. 13 no.2:107-110 '51. (MIRA 9:9)

1. Iz Odesskogo sel'skokhozyaystvennogo inatituta.
(POLYANOL) (BACTERICIDES)

USSR/Medicine - Brucellosis

May 52

"Comparative Data on Allergy Reaction of Sheep Affected With Brucellosis to Brucelllysate and Brucellohydrolysate VIEV," Prof V. P. Tulchinskaya, A. V. Demchenko

"Veterinariya" No 5, pp 22-24

Submits charts showing the results of exptl injection of diseased and suspected sheep with Brucelllysate VIEV (extract of specific protein components of brucellase) and with a Brucellohydrolysate VIEV (an allergen which has been purified still further)

228T39

The results of the test were controversial. Authors recommend that more care should be exercised in the checking and standardization of various series of Brucellohydrolysate VIEV before their release to the veterinary profession.

TULCHINSKAYA, V. P.

228T39

TUL'CHINS'KAYA, V.P.; BILOSTOTS'KA, O.N.

Precipitation reaction in experimental brucellosis. Mikrobiol. zhurn. 14 no. 2:
40-46 '52. (MLRA 6:11)
(Brucellosis)

(says pp 41-46)
/also -W-27098, 25 Jul 1953, p 3 (bibliog).

1. TUL'CHINSKAYA, V. P.; VOL'FKOVICH, S. I.
2. USSR (600)
4. Chemists
7. In memory of Professor Eduard Ksaver'yevich Lopatto (1893-1951).
Zhur. prikl. khim. 25 no. 10, 1952
9. Monthly List of Russian Accessions, Library of Congress, January 1953, Unclassified.

TUL'CHINSKAYA, V. P., TRACHENKO, A. F., DEMCHENKO, A. V.

Sheep - Diseases Bang's Disease

Use of Dorogov's ASD preparations (antiseptic stimulants) in brucellosis of sheep.
Veterinariia, 29, no. 2, 1952. P17

9. Monthly List of Russian Accessions, Library of Congress, April 195¹₂, Unclassified.
also R. , u-4803, 13 Oct 1953 - Tr.

TUL'CHINS'KA, V.P.; DROBOT'KO, V.G., redaktor; MAKSYMAYKO, O.I., redaktor; HAKHLINA, N.P., tekhnichnyy redaktor.

[Antibiotics] Antybiotyky. Kyiv, Vyd-vo Akademii nauk Ukrain's'koi
BSR, 1953. 49 p. (MLRA 8:2)
(Antibiotics)

USSR/Medicine - Brucellosis; Immunity

Mar 53

"Dynamics of Immunobiological Reactions in Guinea Pigs Immunized with Live Antibrucellosis Vaccine Under Different Conditions of the Nervous System," V. P. Tul'chyns'kaya, R. O. Faytelberg, I. V. Aplyak

Mikrobiol Zhur, Vol 15, No 1, pp 5-10

(CA 47 no. 15:7636 '53)

Simultaneous injection of attenuated living antibrucellosis vaccine and caffeine effected in guinea pigs a more rapid appearance and subsequent rapid fall of the opsonophagocytic and macrophagocytic reactions as well as agglutinin and precipitin titers than the injection of vaccine alone. Since bromine has an inhibitory effect on the cortex of the brain, the attendant immunobiological reaction appears ~~relatedly~~ and lasts longer. The opsonophagocytic and macrophagocytic reactions reflect more clearly the reactions of the organism of guinea pigs to the ~~living~~ attenuated antibrucellosis vaccine than either the agglutinin or precipitin reactions.

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2"

"APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2

APPROVED FOR RELEASE: 03/14/2001

CIA-RDP86-00513R001757410013-2"

TUL'CHINSKAYA, V.P.; APLYAK, I.V.

Immunobiological reactions in laboratory animals inoculated with living brucellosis vaccine under various conditions of the nervous system. Zhur.mikrobiol.epid.i immun. no.5:56-61 My '55. (MLRA 8:7)

(BRUCELLOSIS, immunology,

vacc., eff. of bromides & caffeine on response to living vacc.)

(VACCINES AND VACCINATION,

brucellosis, eff. of bromides & caffeine on response to living vacc.)

(BROMIDES, effects,

on immun. responses to living brucellosis vacc.)

(CAFFEINE, effects,

on immun. responses to living brucellosis vacc.)

Head,

Chair Microbiology, Odessa State U. (Tul'chinskaya)

and

Sci. Dir., Odessa Agric. Inst, Min. Agric. USSR (Tul'chinskaya)

USSR/Diseases of Farm Animals. Diseases Caused by Bacteria
and Fungi.

Abs Jour: Ref Zhur-Biol., No 3, 1958, 12255.

Author : Tul'chinskaya V. P.

Inst :

Title : Prophylactic Vaccination of Farm Animals with Live
Brucella Vaccine

Orig Pub: V pomoshch' s.-kh. i rybovodstvu. Vyp. 1, Odessa,
1956, 23-24.

Abstract: Based on experimental application of the 19-strain
vaccine the author recommends that only young animals
of the age group from 4 to 6 months should be inocu-
lated with this vaccine. For purposes of differentia-
tion between vaccinated animals and those with natural

Card : 1/2

USSR/Diseases of Farm Animals. Diseases Caused by Bacteria
and Fungi.

Abs Jour: Ref Zhur-Biol., No 3, 1958, 12255.

infections the use of the blood serum reaction (BSR)
and the allergic eye test (Lokteva's allergen) is
recommended.

Card : 2/2

USSR/Diseases of Farm Animals. Diseases Caused by
Bacteria and Fungi.

R-1

Abs Jour: Ref Zhur-Biol., No 18, 1958, 83550

Author : Tul'chinskaya, V. P.

Institute: Odessa University

Title : Immunizing with an Avirulent Brucella Culture Combined
with a Killed Vaccine Culture.

Orig Pub: Nauchn. yezhegodnik Odessk. un-t, Odessa, 1957,
214-216

Abstract: Tests performed on 80 rabbits showed that when they
were immunized against brucellosis with the
strain No 19 vaccine combined with a Brucella
melitensis anaculture, a larger agglutinin pro-
duction and a higher phagocytal index were
achieved than when only strain No 19 vaccine was
used for immunization.--L. S. Goberman

TUL'CHINSKAYA, V.P. [Tul'chyns'ka, V.P.], prof.; WEDOTOV, M.I.;
ISHCHENKO, N.I.; TURCHIN, I.P. [Turchyn, I.P.]

Methods of differentiating immunodiagnostic reactions in
animals vaccinated against and in animals suffering from
brucellosis. Na dopom.sil'.hrsp.ta vyr. no.5:15-18 '58.
(MIRA 13:3)

1. Kafedra mikrobiologii Odesskogo gosuniversiteta. 2. Chlen-
korrespondent AN USSR (for Tul'chinskaya).
(Brucellosis in cattle) (Vaccination)

SECHERBA, S.A., student biolog.fakul'teta; TUL'CHINSKAYA, V.P.
[Tul'chyns'ka, V.P.], nauchnyy rukovoditel', prof.

Effect of antibiotics and chemicals on the germination and
growth of wheat seed. Pratsi Od.un. Zbir.stud.rob. 149 no.5:
167-168 '59. (MIRA 13:4)

1. Chlen-korrespondent AN USSR (for Tul'chinskaya). 2. Odesskiy
gosudarstvennyy universitet.

(WHEAT) (PLANTS, EFFECT OF ANTIBIOTICS ON)
(PLANTS, EFFECT OF CHEMICALS ON)

MIGAL', O.K. [Myhal', O.K.], student biolog.fakul'teta; TUL'CHINSKAYA,
V.P. [Tul'chyns'ka, V.P.], nauchnyy rukovoditel', prof.

Effect of plant extracts on the growth of bacterial cultures.
Pratsi Od.un. Zbir.stud.rob. 149 no.5:169-172 '59.
(MIRA 13:4)

1. Chlen-korrespondent AN USSR (for Tul'chinskaya). 2. Odeskiy
gosudarstvennyy universitet.
(EXTRACTS) (BACTERIA)